

PRODUCT CATALOGUE




MEP GROUP

OUR ACHIEVEMENT

CERTIFICATION



OUR ACHIEVEMENT



Dr. Jahangir Alam Chaklader, Managing Director of MEP Group, receiving the 1st Runners up Trophy on the 5th International Electrical Products Machineryes & Materials Trade Fair-2011, from the Honorable Commerce Minister, **Mr. Faruk Khan**



Late Mr. Shamsul Alam Chaklader, Chairman of MEP Group, receiving Five Star Certification by BSTI from the honorable Deputy Director of BSTI, **Mr. Selim Reza Mr. MD Towhidul ALAM Khan**, Deputy Managing Director of Prime Bank and **Capt. Abdus Sabur Khan (Retd.)**, Chairman of Opsonin group were also present at the ceremony.



MEP Group was awarded the 1st position for depositing highest amount of Value Added Tax (VAT) for FY 2016-17, organized by the National Board of Revenue for Barisal Division. **Dr. Jahangir Alam Chaklader**, Managing Director of MEP Group, receiving the award

APPROVED AND BEING USED BY





INTRODUCTION

Established in 1974, Mohammadi Electric Wires and Multi Products (MEP) Limited is one of Bangladesh's leading and integrated electric accessories manufacturers. To reduce the widespread import dependency of that time, it started its commercial production with only two products, "2-pin plug" and "socket". As part of its relentless pursuit of quality improvement and meeting the diverse demand of the growing population, MEP currently offers more than 1,600 products to its customers. Considering the rapid urbanization and industrialization of the country, MEP introduced flexible and domestic cables in 2001, followed by adding different kinds of cables, including Power & H.T. cables in the product portfolio through continuous research and development. In the case of MEP Cables, we take immense pride in our commitment to 'Always Safety' and try our best to improve the lives of all those we serve. MEP was registered as a private limited company in the year 2010. Later to address the huge demand for energy-efficient lights, it started producing CFL, LED Bulbs and Tube lights under a new company named MEP Energy Saving Lamps Industries Limited in 2012. MEP is now the market leader in Bangladesh's energy-efficient lighting market, thanks to its adaptation to new technology and efficient workforce. In 2015, MEP introduced another vital and popular product, the Ceiling Fan, to the market. MEP's ceiling fans are energy efficient in accordance with the government's energy efficiency agenda. Currently, it has different designs of ceiling and exhaust fans in the catalog. Lucrative fan designs, unmatched performance, along with MEP's brand value have enabled it to secure an impressive market share within just three years of commencement. The year 2016 has been very special for the group as it achieved the prestigious "Five Star Rating" from BSTI. The group established a polymer plant the same year, with commercial operations beginning in 2017. To take its cable production one step further, MEP also established a "Copper Plant" (Up casting line) in 2017.

Over four decades, we have developed significant expertise in manufacturing electric accessories that are energy efficient, Eco friendly, and meet the people of Bangladesh's ever-changing need for electric accessories.

Alongside its excellent commercial track record, MEP Group critically recognizes its social and religious responsibilities. MEP group has been working tirelessly through MEP Foundation to improve the lives of the poor but hardworking members of the community.

Index

Sl.No.	Description	Page
01.	Plug Series (2 Pin)	1
02.	Plug Series (3 Pin)	2-3
03.	Holder Series (Pendent)	4
04.	Holder Series (Batten)	5-6
05.	Ceiling Rose Series	7
06.	Tumbler Switch Series	8
07.	Socket Series (2 Pin/3 Pin)	9
08.	Combined Series	10
09.	Extension Multi Socket Series	11
10.	Tester Series	12
11.	Circuit Breaker Box Series	13
12.	Main Switch Series	14
13.	Piano Switch Series (EGM)	15
14.	Piano Switch Series (Premium)	16
15.	Piano Switch Series (Round Knob)	17
16.	Switch Series (Bed/Mk)	18
17.	Golden Gang Series	19-20
18.	Elegant Gang Series	21-22
19.	Elite Gang Series	23-24
20.	Premium Gang Series	25-26
21.	Tulip Gang Series	27-28
22.	Smart Gang Series	29-30
23.	Cable Clamp Series	31
24.	Piano Switch Plate	32
25.	Piano Switch Plate Box	33
26.	Plastic Board	34-35
27.	Premium Plastic Board	36-37
28.	uPVC Fitting	38-40
29.	Cable Casing	42
30.	PVC Pipe	43
31.	Circuit Breaker Sb 04K	45-46
32.	Circuit Breaker Sb 05K	47
33.	Circuit Breaker Sb 06K	48



PLUG SERIES (2 PIN)



P001 / P2P001BL

2 Pin Round Plug
(Black), 5A/250V.

Metal Parts are made of highly conductive brass alloys. Smooth Finish Surface Highly Resistant to abnormal heat and fire. Slotted Brass Pin For Proper Contact

New



P027 / P2P017WH

PREMIUM 2 PIN PLUG
6A/250V.

Metal Parts are made of highly conductive solid brass alloys. Durable, elegant design and easy to use.



P003 / P2P002RB

2 Pin P.V.C Flat Plug
(6A/250V.)

Metal Parts are made of highly conductive brass alloys. Flexible and easy to use.

New



P030 / P2P014WH

ELITE 2 PIN PLUG
6A/250V.

Metal Parts are made of highly conductive solid brass alloys. Durable, attractive design and easy to use.



P004 / P2P003RB

2 Pin P.V.C Round Plug
(6A/250V.)

Metal Parts are made of highly conductive brass alloys. Flexible and easy to use.



P169 / P2P012WG

2 Pin Winner Plug
(6A-250V.)

Metal Parts are made of highly conductive solid brass alloys. Durable, elegant design and easy to use.



P005 / P2P004WG

New Super 2 Pin Plug
(5A/250V.)

Metal Parts are made of highly conductive brass alloys. Smooth finish surface and easy to use.



P011 / P2P009TY

2 Pin Multi Plug With
Indicator, (Unbreakable)
5A/250V.

Metal Parts are made of highly conductive brass alloys. Smooth finish surface durable Neon bulb is used as the indicator. Highly Resistant to abnormal heat and fire. Fitted with slotted brass pin for Proper contact.



New

P026 / P2P016WH

TULIP 2 PIN PLUG
6A-250V.

Metal Parts are made of highly conductive solid brass alloys. Durable, elegant design and easy to use.



P012 / P2P010SB

2 Pin Multi Plug (C)
5A/250V.

Metal Parts are made of highly conductive brass alloys. Smooth finish surface highly Resistant to abnormal heat and fire. Fitted with slotted brass pin for Proper contact.



PLUG SERIES (2 PIN / 3 PIN)



P013 / P2P011BL

2 Pin Multi Plug (B)
5A/250V.

Metal Parts are made of highly conductive brass alloys. Smooth finish surface highly Resistive to abnormal heat and fire. Fitted with slotted brass pin for Proper contact.



P020 / P3P007WH

3 Pin Round Plug (Mk Type)
White, 15A/250V.

Heavy duty metal parts are made of highly conductive solid brass alloys. Smooth finish surface, Slotted brass pin for proper contact. Highly resistance to heat and fire.



P014 / P3P002CO

3 Pin Plug (Kula Model)
5A/250V.

Made with highly conductive brass alloys. Smooth finish surface and Slotted brass pin is used for proper contact.



P021 / P3P009WH

New Super 3 Pin Plug Unbreakable
(Mk Type) 15A/250V.

Heavy duty metal parts are made of highly conductive solid brass alloys. Smooth finish surface, Slotted brass pin for proper contact. Highly resistance to heat and fire.



P017 / P3P004WH

3 Pin Plug (Mk Type) White
6A/250V.

Metal Parts are made of highly conductive solid brass alloys. Smooth finish surface, Slotted brass pin for proper contact. Highly Resistance for heat and fire.



P151 / P3P013WH

3 Pin Plug (Flat Pin Type)
13A-250V.

Heavy duty metal parts are made of highly conductive solid brass alloys. Fuse is used for proper safety Flat pins provided a set of rigid proper contact high load capacity.



P019 / P3P005BL

3 Pin Round Plug (Mk Type)
Black, 15A/250V.

Heavy duty metal parts are made of highly conductive solid brass alloys. Smooth finish surface, Slotted brass pin for proper contact. Heavy load capacity.



P174 / P3P010WH

3 Pin Plug Unbreakable
15A-250V.

Heavy duty metal parts are used which are made of highly conductive brass alloys. Smooth finish surface, Slotted brass pin for proper contact. Bakelite base is used for abnormal heat protection.



PLUG SERIES (3 PIN)



P187 / P3P011WH

3 Pin Cup Plug Unbreakable
5A-250V.

Metal Parts are made of highly conductive brass alloys. Smooth finish surface and Slotted brass pin is used for proper contact. Unique design.



P751 / P3P014NA

3 Pin Plug With Indicator
(Flat Pin Type) Transparent
13A-250V.

Heavy duty metal parts are made of highly conductive brass alloys. Fuse is used for proper safety. Flat pins provide a set of rigid proper contact. Highly resistant to heat and fire. High load capacity. Modern versatile design. Made with virgin PC resign.



P220 / P3P016CO

Iron Plug With Indicator
18A-250V.

High durability. Smooth functionality. Optimum performance. Fitted with all standard brass metal parts. Highly resistant to heat and fire.



HOLDER SERIES (Pendent)



P048 / HPS004BL

Pendent Holder (Al-Ring)
5A/250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. Al-Ring provides standard support.



P168 / HPS008WH

Jar Type Pendent Holder
5A/250V.

Brass parts are used for enhanced durability and low resistance contact point for longer life. Al-Ring provides standard support.



P049 / HPS005BL

Pendent Holder (Brass Ring)
6A/250V.

Brass parts are used for enhanced durability and low resistance contact point provide longer operating life. Heavy brass ring provides stronger support.



P170 / HPS009WH

Winner Bracket Holder
(Thread Type) 5A/250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. Fitted with all Standard brass metal parts.



P052 / HPS006WH

CFL Porcelain Pendent Holder
(Thread Type) 6A-250V.

Heavy-duty brass parts are used for enhanced durability. High current carrying capacity and low resistance contact point provide longer operating life. Highly resistant to heat.



P212 / HPS010BL

Adaptor Holder With Multi
Socket, 5A-250V.

Heavy duty brass parts are used for enhanced durability of the product. Fitted with all standard brass metal parts. Portable and easy to use.



P060 / HPS007WH

Industrial Pendent Holder
2 in 1 (Pin & Thread Type)
6A/250V.

Brass parts are used for enhanced durability. High current carrying capacity and low resistance contact point provides longer operating life. Built for universal use. (E27 & B22)



P417 / HPS012WH

Adaptor Holder (Thread Type)
5A-250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. Portable and easy to use.



HOLDER SERIES (Batten)



P054 / HBS004WH

Super Angle Batten Holder
6A/250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. AI-Ring provides standard support.



P222 / HBS036CO

Round Plunger Batten Holder
(Jar Type) 5A-250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. UV stable Polycarbonate material used for body. Made with plunger-type brass pin for durability.



P055 / HBS005WH

Super Batten Holder
6A/250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. AI-Ring provides standard support.



P460 / HBS038WH

Winner Batten Holder
6A/250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. UV stable Polycarbonate material used for body. Made with plunger-type brass pin for durability.



P080 / HBS011WH

Premium Batten Holder
2 in 1 (Pin & Thread Type)
6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P096 / HBS046WH

Universal Batten Holder
2 in 1 (Pin & Thread Type)
6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P080B / HBS011BL

Premium Batten Holder
2 in 1 (Pin & Thread Type)
(Black) 6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P129 / HBS019WH

Lili Hirace Porcelain Batten Holder
(Thread Type) 6A-250V.

Brass parts are used for enhanced durability and low resistance contact point provides longer operating life. Porcelain base gives Excellent heat protection.



HOLDER SERIES (Batten)



P130 / HBS020WH

Octagon Batten Holder
(Thread Type) 6A-250V.

Heavy-duty brass parts are used for enhanced durability. High current carrying capacity and low resistance contact point provides longer operating life. Al-Ring gives standard support.



P175 / HBS032WH

EGM Batten Holder
2 in 1 (Pin & Thread Type)
6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P523 / HBS044WH

Beauty Batten Holder (White Flower)
2 in 1 (Pin & Thread Type)
6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P526 / HBS047WH

TULIP BATTEN HOLDER
2 in 1 (Pin & Thread Type)
6A-250V.

Product is fitted in robust designed assembly plates which provides snug fit on the wall. Plunger-type brass pin is used for durability. Made with high quality brass parts for higher conductivity. Built for universal use. (E27 & B22)



P166 / HBS030WH

Octagon Batten Holder
(Pin Type) 6A-250V.

Heavy Duty Brass Parts are used for enhanced durability. High current carrying capacity and low-Resistance contact point for longer life. Plunger type brass pin is used for bulb longevity.



CEILING ROSE SERIES



P110 / CRS005CO

Ceiling Rose (D-1 Type)
5A/250V.

Made With Heavy Duty metal parts, Easy twist & lock system, Heat dissipation, good electrical conductivity, wear & tear Resistant.



P209 / CRS013WH

Octagon Ceiling Rose
6A-250V.

Made With Heavy Duty metal parts, Heat dissipation, good electrical conductivity wear & tear Resistant. Smooth finish surface, fitted with Brass terminal for proper current flow.



P120 / CRS011WH

Premium Ceiling Rose
6A/250V.

Made With Heavy Duty metal parts, Easy twist & lock system, Heat dissipation, good electrical conductivity wear & tear Resistant. Smooth finish surface.



P176 / CRS016WH

EGM Ceiling Rose
6A-250V.

Made with heavy-duty wear & tear resistant metal parts for heat dissipation and good electrical conductivity. Smooth finish surface with an attractive design. Fitted with brass terminal for proper current flow.



P467 / CRS014WH

Ceiling Rose (Unbreakable)
6A-250V.

Made With Heavy Duty metal parts, Easy twist & lock system, Heat dissipation, good electrical conductivity wear & tear Resistant. Smooth finish surface.



P527 / CRS017WH

TULIP CEILING ROSE
6A-250V.

Made with heavy-duty wear & tear resistant metal parts for heat dissipation and good electrical conductivity. Smooth finish surface with a unique design. Fitted with brass terminal for proper current flow.



P099 / CRS002WH

Beauty Ceiling Rose
(White Flower) 6A/250V.

Made with heavy-duty wear & tear resistant metal parts for heat dissipation and good electrical conductivity. Smooth finish surface. Fitted with brass terminal for proper current flow.



TUMBLER SWITCH SERIES



P064 / TSS002BL

Tumbler Switch Round Type
(8A/250V).

Heavy duty base with high
quality brass metal parts.



P069 / TSS007BL

Tumbler Switch (Round Type)
20A/250V.

Heavy duty base with high
quality brass metal parts.



P066 / TSS004BL

Tumbler Switch (Square Type)
20A/250V.




Made with better alternative of
heavy duty porcelain base with all
high quality brass metal parts.
Excellent fire and shock
protection



P068 / TSS006SQ

Tumbler Switch
(Square Type)
15A/250V.

Heavy duty base with all high
quality brass metal parts.
Excellent fire and shock
perfection.





SOCKET SERIES (2 Pin/3 Pin)



P023 / T2P002BL

2 Pin Socket (Surface Type)
5A/250V.

Heat and shock proof.
Smooth surface design.



P034 / T3P012BL

3 Pin Socket (Square Type)
20A/250V.

Excellent fire and shock
protection. Fitted with all brass
metal parts & terminal for
proper electric wire contact.



P028 / T2P004BL

2 Pin Socket Porcelain Base
(Surface Pati Type)
8A/250V.

Excellent fire and shock
protection. Fitted with all brass
metal parts & terminal for
proper electric wire contact.



P035 / T3P013BL

3 Pin Socket (Round Type)
20A/250V.

Excellent fire and shock
protection. Fitted with all brass
metal parts & terminal for
proper electric wire contact.



P028A / T2P008BL

2 Pin Socket Base
(Surface Pati Type)
8A/250V.

Excellent fire and shock
protection. Fitted with all brass
metal parts & terminal for
proper electric wire contact.



P210 / T3P015CO

3 Pin Universal Socket
13A-250V.

Brass socket patti is protected
with strong ring spring that
catches the plug smoothly.
Fitted with all standard brass
metal part.



P029 / T3P008BL

3 Pin Socket Porcelain Base
(Surface Type) 8A/250V.

Excellent fire and shock
protection. Fitted with all brass
metal parts & terminal for
proper electric wire contact.



P219A / P2P013WH

Travel Adaptor
5A-10A, 250V.

Highly elastic Phosphor bronze sheet
socket pati is protected with strong
ring spring that catches the plug
smoothly. Fitted with all standard
brass metal part.



COMBINED SERIES



P081 / CMS001CO

5 In One Nice Universal Combined Switch With Indicator
15-20A/250V.

Build with SS spring which ensures ultimate contact strength. Highly resistant to heat and fire. Made with heavy duty Bakelite base with indicator and all high quality metal parts.



P090 / CMS010WH

5 In 1 EGM Box Universal Combined Switch With Indicator
15-20A/250V.

SS spring ensures ultimate contact strength. Highly resistance to heat and fire. Made with copper touching point for proper contact with all high quality brass metal parts.



P082 / CMS002CO

TOYO 5 In One Universal Combined Switch With Indicator
15-20A/250V.

Build with SS spring which ensures ultimate contact strength. Highly resistant to heat and fire. Made with heavy duty Bakelite base with indicator and all high quality metal parts.



P163 / CMS011CO

Nice 5 Pin Box Combined Switch For Surface & Conceal Use.
6A/250V.

SS spring ensures ultimate contact strength Highly Resistant to heat and fire. Having Copper Touching Point For Proper Contact With all high quality Brass Metal Parts.



P084 / CMS004CO

Double Pole 6 Pin Switch Universal Box Combined With Indicator (Mk Type)
45A/250V.

Build with SS spring which ensures ultimate contact strength. Highly resistant to heat and fire. Made with heavy duty Bakelite base with indicator and all high quality metal parts.



P214 / CMS015CO

6 Pin Universal Combined Switch With Indicator
15A-250V.

SS spring ensures ultimate contact strength Highly Resistant to heat and fire. Having Copper Touching Point For Proper Contact With all high quality Brass Metal Parts.



P088 / CMS008CO

TOYO 5 In 1 Box Universal Combined Switch With Indicator
15-20A/250V.

Build with SS spring which ensures ultimate contact strength. Highly resistant to heat and fire. Made with heavy duty Bakelite base with indicator and all high quality metal parts.



P215 / CMS016CO

6 Pin Universal Box Combined Switch With Indicator
15A-250V.

SS spring ensures ultimate contact strength Highly Resistant to heat and fire. Having Copper Touching Point For Proper Contact With all high quality Brass Metal Parts.



P089 / CMS009CO

5 In 1 Nice Box Universal Combined Switch With Indicator
15-20A/250V.

Build with SS spring which ensures ultimate contact strength. Highly resistant to heat and fire. Made with heavy duty Bakelite base with indicator and all high quality metal parts.



EXTENSION MULTI SOCKET SERIES



P223 / EMS005BL

Extension Universal Multi Cord With C/B (Round Type) 6A-250V.

Flexible Bronze connector wrapped in engineering plastic case ensures proper contact grip. Fitted with all high quality metal parts.



P288 / EMS00300

Extension Universal Multi Socket, 5 Gang 5 Switch 10A-250V.

Flexible Bronze connector wrapped in engineering plastic case ensures proper contact grip. Each socket comes with individual switch and indicator in which multiple types of plug can be used. Fitted with all high quality metal parts.



P284 / EMS00100

Extension Universal Multi Socket 4 Gang 1 Switch 10A-250V.

Flexible Bronze connector wrapped in engineering plastic case ensures proper contact grip. Multiple types of plug can be used. Fitted with all high quality metal parts.



P289 / EMS004BO

5 Way Porcelain Multi Socket 13A-250V.

Flexible Bronze connector wrapped in engineering plastic case ensures proper contact grip. Each socket comes with individual switch and indicator in which multiple types of plug can be used. Fitted with all high quality metal parts.



P285 / EMS00200

Extension Universal Multi Socket, 4 Gang 4 Switch 10A-250V.

Flexible Bronze connector wrapped in engineering plastic case ensures proper contact grip. Each socket comes with individual switch and indicator in which multiple types of plug can be used. Fitted with all high quality metal parts.



TESTER SERIES



P118 / TES001TY

Pilot Tester
100/500V.

Flat screw driver head fully insulated for proper protection and easy handling. Comes with durable Neon bulb as the indicator. Fitted with all standard electroplated metal parts.



P146 / TES005TY

Super Tester
100/500V.



Flat screw driver head fully insulated for proper protection and easy handling. Comes with durable Neon bulb as the indicator. Fitted with all standard electroplated metal parts.



P145 / TES004TY

Pen Tester
100/500V.

Flat screw driver head fully insulated for proper protection and easy handling. Comes with durable Neon bulb as the indicator. Fitted with all standard electroplated metal parts.





CIRCUIT BREAKER BOX SERIES



P501 / CBB002WH

Circuit Breaker Box
(One Way)
Outside & Inside The Wall

High Strength folding cover with clear view, Distributing Box For Circuit Breaker.



P504 / CBB005WH

Circuit Breaker Box
(Six Way)
Outside & Inside The Wall

Bus Bar Brass terminal High Strength folding cover with clear view, Distributing Box For Circuit Breaker.



P502 / CBB003WH

Circuit Breaker Box
(Two Way)
Outside & Inside The Wall

High Strength folding cover with clear view, Distributing Box For Circuit Breaker.



P505 / CBB006WH

Circuit Breaker Box
(Nine Way)
Outside & Inside The Wall

Bus Bar Brass terminal High Strength folding cover with clear view, Distributing Box For Circuit Breaker.



P503 / CBB004WH

Circuit Breaker Box
(Three Way)
Outside & Inside The Wall

High Strength folding cover with clear view, Distributing Box For Circuit Breaker.



MAIN SWITCH SERIES



P072 / MSS001WH

D.P. MAIN SWITCH
15-30A/250V.

FR PC Cover, Roller type roll ball for better contact. Heavy Duty Bakelite Base With Indicator and all high quality Metal Parts



P665 / CUT00200

KIT KAT FUSE
32A-415V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



P073 / MSS002CO

D.P. MAIN SWITCH CONCEAL
SURFACE TYPE (PDB), 15-30A/250V.

FR Grade Plastic Cover, Roll Ball Type Switch Knob For Better Contact, Heavy Duty Bakelite Base With Indicator and all high quality Metal Parts



P666 / CUT00300

KIT KAT FUSE
63A-415V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



P235 / MSS003BU

MAIN SWITCH (FLOREX)
15A-250V.

Side handle for quick make and break operating mechanism. Heavy Duty Porcelain Base and high quality Metal parts.



P667 / CUT00400

KIT KAT FUSE (AC)
100A-415-500V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



P486 / MSS004CO

D.P. MAIN SWITCH CONCEAL
SURFACE TYPE, 15-30A/250V.

FR Grade Plastic Cover, Roll Ball Type Switch Knob For Better Contact, Heavy Duty Bakelite Base and all high quality Metal Parts



P668 / CUT00500

KIT KAT FUSE (AC)
200A-415-500V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



P663 / CUT00100

KIT KAT FUSE
16A-240V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



P670/ CUT00600

KIT KAT FUSE (2 IN 1)
16A-250V.

Shock Proof fiber used. Having Heavy Duty Porcelain Base and all high quality Metal Parts



PIANO SWITCH SERIES (EGM)



P298 / EGM001WH

EGM Switch
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P302 / EGM005WH

EGM Indicator
6A/250V.

Smooth finish surface. Neon bulb is used for better reliability. Fitted with all standard metal parts.



P299 / EGM002WH

EGM Pati Socket
6A/250V.

Made with highly elastic phosphor bronze sheet socket patti which is protected with strong ring spring that catches the plug softly. Fitted with all standard metal parts.



P303 / EGM006WH

EGM Bell Push
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P300 / EGM003WH

EGM Switch 2 Way
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P304 / EGM007WH

EGM Fan Regulator
6A, 240V./50Hz
200W

Smooth finish surface. High quality parts are used for proper control of the fan speed. Heat resistant plastic parts are used for better protection.



P301 / EGM004WH

EGM Fuse
6A/250V.

Smooth finish surface. Fitted with all high quality metal parts and fire & heat resistant plastic parts.



PIANO SWITCH SERIES (Premium)



P701 / PMS001MA

Premium Switch
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P705 / PMS005MA

Premium Bell Push
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P702 / PMS002MA

Premium Socket
6A/250V.

Made with highly elastic phosphor bronze sheet socket patti which is protected with strong ring spring that catches the plug softly. Fitted with all standard metal parts.



P706 / PMS006MA

Premium Switch (2 Way)
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P703 / PMS003MA

Premium Fuse
6A/250V.

Smooth finish surface. Fitted with all high quality metal parts and fire & heat resistant plastic parts.



P707 / PMS007MA

Premium Fan Regulator
6A, 240V./50Hz
200W

Smooth finish surface. High quality parts are used for proper control of the fan speed. Heat resistant plastic parts are used for better protection.



P704 / PMS004MA

Premium Indicator
6A/250V.

Smooth finish surface. Neon bulb is used for better reliability. Fitted with all standard metal parts.



PIANO SWITCH SERIES (Round Knob)



P036 / RPS001CO

Round Knob Piano Pati Socket
6A/250V.

Made with highly elastic phosphor bronze sheet socket patti which is protected with strong ring spring that catches the plug softly. Fitted with all standard metal parts.



P106 / RPS004CO

Round Knob
Piano Indicator
6A/250V.

Smooth finish surface. Neon bulb is used for better reliability. Fitted with all standard metal parts.



P091 / RPS002CO

Round Knob
Piano Switch
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P416 / RPS005CO

Round Knob
Piano Fuse
6A/250V.

Fitted with all Standard Metal Parts.



P100 / RPS003CO

Round Knob
Piano Bell Push
6A/250V.

Made with copper contact point for proper switching quality. Fitted with all high quality brass parts.



P112 / RPS006CO

Round Knob Fan Regulator
6A, 240V./50Hz
200W

Smooth finish surface. High quality parts are used for proper control of the fan speed. Heat resistant plastic parts are used for better protection.



SWITCH SERIES (Bed/MK)



P075 / BSS001CO

Bed Switch (White) Plastic
6A-250V.

Fitted with all standard metal parts. Easy to install and use.



P401 / MKG001WH

Gang Switch With Indicator
45A-250V.

Specially featured with a very heavy load carrying capacity. Made with all high quality brass metal parts & silver tipped contact plate for better switching quality. Special base is used for self-fire extinguishing properties.



P165 / BSS002CO

Bed Switch With Indicator
6A-250V.

Featured with power indicator light. Fitted with all standard metal parts. Easy to install and use.



P410 / MKG010WH

Gang Universal 6 Pin Socket
With Switch, 32A-250V.

Specially featured with a very heavy load carrying capacity. Made with all standard brass metal parts & silver tipped contact plate for better switching quality. Special base is used for self-fire extinguishing properties. Made for Universal use.



P178 / BSS003TY

Bed Switch With All Body
Indicator (Unbreakable)
6A-250V.

Specially featured with transparent body and power indicator light. Fitted with all standard metal parts. Easy to install and use.



P562 / MKP013WH

MK Universal 8 Pin Socket
With Switch, 13A-250V.

Featured with Elegant design and Universal socket points for using all kinds of plugs. Bronze sheet used in socket plates for better conductivity. Safety shutter used for integrated child protection.



P563 / MKP014WH

MK Universal 6 Pin Socket
With Switch, 32A-250V.

Featured with elegant design and universal socket points for using all kinds of plugs. Bronze sheet is used in socket plates for better conductivity. Made for Universal use.



GOLDEN *Gang Series*



P-9001 / GDG001GO

Golden 1 Gang
1 Way Switch, 16A-250V.

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. High-quality push contact switch is used for better switching performance.



P-9009 / GDG005GO

Golden Doorbell Switch
16A-250V.

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. High-quality push contact switch is used for better switching performance.



P-9003 / GDG002GO

Golden 2 Gang 1 Way Switch
16A-250V.

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. High-quality push contact switch is used for better switching performance.



P-9010 / GDG006GO

Golden TV Socket

Beautiful Appearance, tempered glass panel, quick and easy to install.



P-9005 / GDG003GO

Golden 3 Gang 1 Way Switch
16A-250V.

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. High-quality push contact switch is used for better switching performance.



P-9011 / GDG007GO

Golden Telephone Socket

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. Comes with integrated child protection.



P-9007 / GDG004GO

Golden 4 Gang 1 Way Switch
16A-250V.

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. High-quality push contact switch is used for better switching performance.



P-9012 / GDG008GO

Golden Internet Socket

Beautiful Appearance, fitted with tempered glass panel and LED backlight indicator. Comes with integrated child protection.



GOLDEN *Gang Series*



P-9017 / GDG010GO

Golden Fan Regulator with Switch
500W, 16A-250V.

Advanced circuit is used for smooth regulating performance. Made with Tempered glass panels & integrated child protection. Circular-shaped switch is fitted with all high grade metal parts. Designed for Low energy consumption.



P-9026L / GDG014GO

Golden 3 Hole Socket With Switch
32A-250V.

Featured with heavy load carrying capacity. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, indicator light, Circular shaped switch & safety shutter with all high grade metal parts.



P-9021L / GDG011GO

Golden 5 Hole Universal Socket With Switch
13A-250V.

Specially featured for universal socket point for using different types of plugs. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, indicator light & safety shutter.



P-9030 / GDG015GO

Golden DP Switch
45A-250V.

Featured with heavy load carrying capacity. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, Circular shaped switch, indicator light and with all high grade metal parts.



P-9022 / GDG012GO

Golden Universal Socket With Switch
13A-250V.

Specially featured for universal socket point for using different types of plugs. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, indicator light & safety shutter.



P-9042 / GDG016GO

Golden 2 Pin Socket With Switch
13A-250V.

Featured with universal 2 pin socket point for all kind of 2 pin plugs. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, Neon indicator, Circular shaped switch & safety shutter with all high grade metal parts.











P-9024 / GDG013GO

Golden Universal Socket with 2 usb-Charger
13A-250V.

Specially featured 2 USB port for making life easier. SS spring and silver tip contact ensures ultimate contact strength. Fitted with tempered glass panels, indicator light & safety shutter child protection with all high grade metal parts.



ELEGANT *Gang Series*

 <p>New</p>	<p>P7001 / ELG001GO</p> <p>Elegant 1 Gang 1 Way Switch, 16A-250V.</p> <p>BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install.</p>	 <p>New</p>	<p>P7009 / ELG005GO</p> <p>Elegant Doorbell Switch 16A-250V.</p> <p>BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install.</p>
 <p>New</p>	<p>P7003 / ELG002GO</p> <p>Elegant 2 Gang 1 Way Switch 16A-250V.</p> <p>BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install.</p>	 <p>New</p>	<p>P7010 / ELG006GO</p> <p>Elegant TV Socket</p> <p>BSTI & IEC standard qualified. Fire retardant & electrical shock proof. Attractive & Glossy design. Quick and easy to install. Long operating life.</p>
 <p>New</p>	<p>P7005 / ELG003GO</p> <p>Elegant 3 Gang 1 Way Switch 16A-250V.</p> <p>BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install.</p>	 <p>New</p>	<p>P7011 / ELG007GO</p> <p>Elegant Telephone Socket</p> <p>BSTI & IEC standard qualified. Fire retardant & electrical shock proof. Attractive & Glossy design. Quick and easy to install. Long operating life.</p>
 <p>New</p>	<p>P7007 / ELG004GO</p> <p>Elegant 4 Gang 1 Way Switch 16A-250V.</p> <p>BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install.</p>	 <p>New</p>	<p>P7012 / ELG008GO</p> <p>Elegant Internet Socket</p> <p>BSTI & IEC standard qualified. Fire retardant & electrical shock proof. Attractive & Glossy design. Quick and easy to install. Long operating life.</p>



ELEGANT *Gang Series*

New



P7017 / ELG009GO

Elegant Fan Regulator with Switch
500W, 16A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Easy & Precise Control Quick & Easy to Install.

New



P7026L / ELG012GO

Elegant 3 Hole Socket
With Switch. 32A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install. Integrated Child-Proof Design. Heavy load capacity.

New



P7021L / ELG010GO

Elegant 5 HOLE UNIVERSAL SOCKET
WITH SWITCH, 13A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install. Integrated Child-Proof Design.

New



P7030 / ELG013GO

Elegant DP SWITCH
45A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install Heavy load capacity.

New



P7022 / ELG011GO

Elegant Universal Socket
With Switch, 13A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install. Integrated Child-Proof Design.

New



P7042 / ELG014GO

Elegant 2 Pin Socket
With Switch, 13A-250V.

BSTI & IEC standard qualified. Made with high-quality Brass & Bronze parts. Fire Retardant & Electrical Shock Proof. Made with Highly Conductive Silver tipped contact plate. Attractive & Glossy Design. Quick & Easy to Install. Integrated Child-Proof Design.



ELITE *Gang Series*



P6001 / EGS001WH

Elite 1 Gang 1 Way Switch, 10A-250V.


Strong Metal support used for longer durability. Over 50,000 Times on/off Capacity. SS Spring and silver tip contact ensures ultimate contact Strength. Virgin Poly Carbonate (PC) Resin ensures safety.



P6010 / EGS006WH

Elite TV Socket

Strong metal support is used for longer durability. Smooth & glossy surface design. Total safety & reliability is provided by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts.



P6003 / EGS002WH

Elite 2 Gang 1 Way Switch 10A-250V.

Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



P6011 / EGS007WH

Elite Telephone Socket

Strong metal support is used for longer durability. Smooth & glossy surface design. Total safety & reliability is provided by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P6005 / EGS003WH

Elite 3 Gang 1 Way Switch 10A-250V.

Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



P6012 / EGS008WH

Elite Internet Socket

Strong metal support is used for longer durability. Smooth & glossy surface design. Total safety & reliability is provided by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P6007 / EGS004WH

Elite 4 Gang 1 Way Switch 10A-250V.

Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



P6014 / EGS009WH

Elite Telephone + Lan Socket

Strong metal support is used for longer durability. Smooth & glossy surface design. Total safety & reliability is provided by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P6009 / EGS005WH

Elite Doorbell Switch 10A-250V.

Strong Metal support used for longer durability. Over 50,000 Times on/off Capacity. SS Spring and silver tip contact ensures ultimate contact Strength. Virgin Poly Carbonate (PC) Resin ensures safety.



P6017 / EGS010WH

Elite Fan Regulator with Switch 500W, 16A-250V.

Strong Metal support used for longer durability. Very efficient circuit design for smooth regulating performance. Excellent Flame Retardant & Heat Resistant facility from virgin Poly Carbonate (PC) Resin.




ELITE *Gang Series*



P6021L / EGS011WH

Elite 5 Hole Universal Socket With Switch. 13A-250V.

Strong metal support & featured with universal socket point for using all different kinds of plugs. SS spring and silver tip contact ensures ultimate contact strength. Made with virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts and integrated child safety shutter.



P6042 / EGS016WH

Elite 2 Pin Socket With Switch 16A-250V.

Strong metal support & featured with universal 2 pin socket point for using all different kinds of 2 pin plugs. SS spring and silver tip contact ensures ultimate contact strength. Made with virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts and integrated child safety shutter.



P6022 / EGS012WH

Elite Universal Socket With Switch. 16A-250V.

Designed with Strong metal support & featured with virgin Poly Carbonate (PC) resin for plastic parts & universal socket point for using all different kinds of plugs. SS spring and silver tip contact ensures ultimate contact strength. Fitted with all high grade metal parts and integrated child safety shutter.



P6002 / EGS017WH

Elite 1 Gang 2 Way Switch 10A-250V.

Strong Metal support used for longer durability. Over 50,000 Times on/off Capacity. SS Spring and silver tip contact ensures ultimate contact strength. Virgin Poly Carbonate (PC) Resin ensures safety.



P6024 / EGS013WH

Elite Universal Socket with 2 usb-Charger. 13A-250V.

Specially featured with 2 USB port for making life easier. Strong metal support is used for durability. Excellent flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts and integrated child safety shutter.



P6004 / EGS018WH

Elite 2 Gang 2 Way Switch 10A-250V.


Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



P6026L / EGS014WH

Elite 3 Hole Socket With Switch. 32A-250V.

Strong metal support & featured with heavy load carrying capacity. Excellent flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts and integrated child safety shutter.



P6006 / EGS019WH

Elite 3 Gang 2 Way Switch 10A-250V.

Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



P6030 / EGS015WH

Elite DP Switch 45A-250V.

Strong metal support & featured with heavy load carrying capacity. Excellent flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts.



P6008 / EGS020WH

Elite 4 Gang 2 Way Switch 10A-250V.

Strong Metal support used for longer durability With Virgin Poly Carbonate (PC) Resin. Individual switch has over 50,000 Times on/off Capacity. SS Spring and silver tip contact for ultimate contact Strength.



PREMIUM *Gang Series*



P8001 / PGS001WH

Premium 1 Gang
1 Way Switch, 10A-250V.

Over 50,000 Times on/off Capacity. All standard metal parts with SS Spring & silver tipped contact for ultimate contact Strength. Excellent Flame & Heat Resistant facility by virgin Poly Carbonate (PC) Resin.



P8010 / PGS006WH

Premium TV Socket

Smooth and glossy surface design. Total safety and unrivaled quality & reliability by virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts.



P8003 / PGS002WH

Premium 2 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P8011 / PGS007WH

Premium Telephone Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P8005 / PGS003WH

Premium 3 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P8012 / PGS008WH

Premium Internet Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P8007 / PGS004WH

Premium 4 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P8014 / PGS009WH

Premium Telephone
+ Lan Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P8009 / PGS005WH

Premium Doorbell Switch
10A-250V.

Over 50,000 times on/off capacity. Built with all high grade metal parts with SS spring & silver tipped contact for ultimate contact strength. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin.



P8017 / PGS010WH

Premium Fan Regulator
with Switch
500W, 16A-250V.

Very efficient circuit design for smooth regulating performance. Excellence flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts.



PREMIUM *Gang Series*



P8021L / PGS011WH

Premium 5 Hole Universal Socket With Switch
13A-250V.

Featured with universal socket point for using all different kinds of plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Made with virgin Poly Carbonate (PC) resin. Also fitted with child proof shutter.



P8042 / PGS016WH

Premium 2 Pin Socket With Switch
16A-250V.

Featured with virgin Poly Carbonate (PC) resin & universal 2 pin socket point for using all kinds of 2 pin plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Also fitted with child proof shutter.



P8022 / PGS012WH

Premium Universal Socket With Switch
16A-250V.

Featured with virgin Poly Carbonate (PC) resin & universal 3 pin socket point for using different kinds of plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Also fitted with child proof shutter.



P8002 / PGS017WH

Premium 1 Gang 2 Way Switch, 10A-250V.

Over 50,000 Times on/off Capacity. SS Spring Ensures ultimate contact Strength. Flame Retardant & Heat Resistant with all standard metal parts.



P8024 / PGS013WH

Premium Universal Socket with 2 usb-Charger
13A-250V.

Featured with virgin Poly Carbonate (PC) resin & 2 USB port for making life easier. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Fitted with child proof shutter.



P8004 / PGS018WH

Premium 2 Gang 2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P8026L / PGS014WH

Premium 3 Hole Socket With Switch
32A-250V.

Featured with heavy load carrying capacity. SS spring & silver tip contact ensures ultimate contact strength. Excellent flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Also fitted with child proof shutter.



P8006 / PGS019WH

Premium 3 Gang 2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P8030 / PGS015WH

Premium DP Switch
45A-250V.

Featured with heavy Load carrying capacity. SS Spring and Silver tip contact ensures ultimate contact Strength. Excellent Flame Retardant & Heat Resistant facility from virgin Poly Carbonate (PC) Resin.



P8008 / PGS020WH

Premium 4 Gang 2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



TULIP Gang Series



P5001 / TGS001WH

Tulip 1 Gang
1 Way Switch, 10A-250V.

Over 50,000 Times on/off Capacity. All standard metal parts with SS Spring & silver tipped contact for ultimate contact Strength. Excellent Flame & Heat Resistant facility by virgin Poly Carbonate (PC) Resin.



P5006 / TGS006WH

Tulip 3 Gang
2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5002 / TGS002WH

Tulip 1 Gang
2 Way Switch, 10A-250V.

Over 50,000 Times on/off Capacity. SS Spring Ensures ultimate contact Strength. Flame Retardant & Heat Resistant with all standard metal parts.



P5007 / TGS007WH

Tulip 4 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5003 / TGS003WH

Tulip 2 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5008 / TGS008WH

Tulip 4 Gang
2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5004 / TGS004WH

Tulip 2 Gang
2 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5009 / TGS009WH

Tulip Doorbell Switch
10A-250V.

Over 50,000 times on/off capacity. Built with all high grade metal parts with SS spring & silver tipped contact for ultimate contact strength. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin.



P5005 / TGS005WH

Tulip 3 Gang
1 Way Switch, 10A-250V.

Individual switch has over 50,000 times on/off capacity. SS spring & silver tipped contact. Excellent flame & heat resistant facility from Poly Carbonate (PC) resin. Fitted with high grade metal parts.



P5010 / TGS010WH

Tulip TV Socket

Smooth and glossy surface design. Total safety and unrivaled quality & reliability by virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts.



TULIP Gang Series



P5011 / TGS011WH

Tulip Telephone Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P5022 / TGS016WH

Tulip Universal Socket With Switch 16A-250V.

Featured with virgin Poly Carbonate (PC) resin & universal 3 pin socket point for using different kinds of plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Also fitted with child proof shutter.



P5012 / TGS012WH

Tulip Internet Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P5024 / TGS017WH

Tulip Universal Socket with 2 usb-Charger 13A-250V.

Featured with virgin Poly Carbonate (PC) resin & 2 USB port for making life easier. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Fitted with child proof shutter.



P5014 / TGS013WH

Tulip Telephone + Lan Socket

Smooth and glossy surface design. Total safety, unrivaled quality & reliability by using virgin Poly Carbonate (PC) resin. Quick & easy to install. Fitted with all high grade metal parts and integrated child proof shutter.



P5026L / TGS018WH

Tulip 3 Hole Socket With Switch 32A-250V.

Featured with heavy load carrying capacity. SS spring & silver tip contact ensures ultimate contact strength. Excellent flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Also fitted with child proof shutter.



P5017 / TGS014WH

Tulip Fan Regulator with Switch 500W, 16A-250V.

Very efficient circuit design for smooth regulating performance. Excellence flame retardant & heat resistant facility from virgin Poly Carbonate (PC) resin. Fitted with all high grade metal parts.



P5030 / TGS019WH

Tulip DP Switch 45A-250V.

Featured with heavy Load carrying capacity. SS Spring and Silver tip contact ensures ultimate contact Strength. Excellent Flame Retardant & Heat Resistant facility from virgin Poly Carbonate (PC) Resin.



P5021L / TGS015WH

Tulip 5 Hole Universal Socket With Switch 13A-250V.

Featured with universal socket point for using all different kinds of plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Made with virgin Poly Carbonate (PC) resin. Also fitted with child proof shutter.



P5042 / TGS020WH

Tulip 2 Pin Socket With Switch 16A-250V.

Featured with virgin Poly Carbonate (PC) resin & universal 2 pin socket point for using all kinds of 2 pin plugs. All high grade metal parts with SS spring & silver tip contact ensures ultimate contact strength. Also fitted with child proof shutter.



SMART *Gang Series*



P311 / SGS001WH

Smart Telephone Socket
10A-250V.

Smooth Finish surface, Fire Retardant & Heat Resistant PC cover. Fitted with all standard metal parts.



P316 / SGS006WH

Smart 3 Gang 1 Way Switch
10A-250V.

Individual Switch, Made of Polycarbonate Virgin Resin, Fire Retardant, Durable, Efficient, Elegant Design, Generator Friendly.



P312 / SGS002WH

Smart TV Socket
10A-250V.

Total Safety Unrivalled Quality & Reliability. Quick & easy Install. Fitted with all Standard Metal Parts.



P317 / SGS007WH

Smart 4 Gang 1 Way Switch
10A-250V.

Individual Switch, Made of Polycarbonate Virgin Resin, Fire Retardant, Durable, Efficient, Elegant Design, Generator Friendly.



P313 / SGS003WH

Smart Internet Socket
10A-250V.

Smooth Finish surface, Fire Retardant & Heat Resistant PC cover. Fitted with all standard metal parts.



P318 / SGS008WH

Smart 2 Pin Socket with
1 Gang Switch
10A-250V.

Socket designed with child safety shutter. Fitted with all Standard Metal Parts.



P314 / SGS004WH

Smart 1 Gang 1 Way Switch
10A-250V.

Made of Polycarbonate Virgin Resin, Fire Retardant, Durable, Efficient, Elegant Design, Generator Friendly.



P319 / SGS009WH

Smart 3 Pin Universal Socket
With 1 Gang Switch
13A-250V.

Contact points are shuttered which provides safety to the kids. Fitted with all Standard Metal Parts.



P315 / SGS005WH

Smart 2 Gang 1 Way Switch
10A-250V.

Individual Switch, Made of Polycarbonate Virgin Resin, Fire Retardant, Durable, Efficient, Elegant Design, Generator Friendly.



P320 / SGS010WH

Smart 3 Pin Socket With
1 Gang Switch
16A-250V.

SS Spring Ensures ultimate contact Strength. Fitted with all Standard Metal Parts.



SMART *Gang Series*



P321 / SGS011WH

Smart Fan Regulator with
1 Gang switch
10A-240V. 50Hz 200W

Smooth Finish surface, Fire Retardant
& Heat Resistant PC cover. Fitted
with all standard metal parts.



P330 / SGS018WH

Smart 4 Gang 2 Way Switch
10A-250V.

Individual Switch, Made of
Polycarbonate Virgin Resin, Fire
Retardant, Durable, Efficient,
Elegant Design, Generator Friendly.



P324 / SGS014WH

Smart bell Push
10A-250V.

Flame Retardant, High strength, High
Temperature Resistance, Fashionable
& Attractive. Fitted with all Standard
Metal Parts.



P325 / SGS019WH

Smart 5 Hole Universal
Socket With Switch
13A-250V.

SS Spring Ensures ultimate contact Strength.
Fire Retardant & Heat Resistant. Integrated
Child Protection and all standard metal parts.



P327 / SGS015WH

Smart 1 Gang 2 Way Switch
10A-250V.

Made of Polycarbonate Virgin
Resin, Fire Retardant, Durable,
Efficient, Elegant Design,
Generator Friendly.



P326 / SGS020WH

Smart Blank Cover

Fire Retardant & Heat Resistant.
Integrated Child Protection.



P328 / SGS016WH

Smart 2 Gang 2 Way Switch
10A-250V.

Individual Switch, Made of
Polycarbonate Virgin Resin, Fire
Retardant, Durable, Efficient,
Elegant Design, Generator
Friendly.



P329 / SGS017WH

Smart 3 Gang 2 Way Switch
10A-250V.

Individual Switch, Made of
Polycarbonate Virgin Resin, Fire
Retardant, Durable, Efficient,
Elegant Design, Generator
Friendly.



CABLE CLAMP SERIES



P651 / CCS001WH

CABLE CLAMP
4 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



P656 / CCS006WH

CABLE CLAMP
9 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



P652 / CCS002WH

CABLE CLAMP
5 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.

New



P657 / CCS007WH

CABLE CLAMP
14 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



P653 / CCS003WH

CABLE CLAMP
6 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.

New



P658 / CCS008WH

CABLE CLAMP
16 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



P654 / CCS004WH

CABLE CLAMP
7 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.

New



P659 / CCS009WH

CABLE CLAMP
20 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



P655 / CCS005WH

CABLE CLAMP
8 mm

Strong, flexible and easy to operate, high elasticity, nail attached in clips that Save time and cost.



PIANO SWITCH PLATE



P350 / PPS001WH

Piano Plate
Size : 4" x 4"

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P356 / PPS007WH

Piano Switch Plate
6 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P351 / PPS002WH

Piano Switch Plate
1 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P357 / PPS008WH

Piano Switch Plate
7 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P352 / PPS003WH

Piano Switch Plate
2 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P358 / PPS009WH

Piano Switch Plate
8 Hole


Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P353 / PPS004WH

Piano Switch Plate
3 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P360 / PPS010WH

Piano Switch Plate
10 Hole


Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P354 / PPS005WH

Piano Switch Plate
4 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P364 / PPS011WH

Piano Switch Plate
14 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.



P355 / PPS006WH

Piano Switch Plate
5 Hole

Seamless, Sleek, Super Smooth construction. Provides no dirt catching channel around plate's Perimeter.




PIANO SWITCH PLATE BOX



P153 / CBB001WH

Combined Box
Size : 3.5" x 4.5"

Made by High Impact
Polystyrene (HIPS)



P360B / CON006WH

Piano Switch Plate Box
Size : 6" x 8"
Use : 10 Piano Switch

Made by High Impact
Polystyrene (HIPS)



P351B / CON001WH

Piano Switch Plate Box
Size : 4" x 4"
Use : 1/2 Piano Switch

Made by High Impact
Polystyrene (HIPS)



P364B / CON007WH

Piano Switch Plate Box
Size : 6" x 10"
Use : 14 Piano Switch

Made by High Impact
Polystyrene (HIPS)



P353B / CON003WH

Piano Switch Plate Box
Size : 4" x 6"
Use : 3/4 Piano Switch

Made by High Impact
Polystyrene (HIPS)



P525 / CBB007WH

Green Decoration Box
Size : 3.15" x 3.15"

Made by Acrylonitrile
Butadiene Styrene (ABS)



P355B / CON004WH

Piano Switch Plate Box
Size : 4" x 8"
Use : 5/6 Piano Switch

Made by High Impact
Polystyrene (HIPS)



P529 / CBB009WH

Conceal Decoration Box
Size : 2.75" x 2.75"

Made by Acrylonitrile
Butadiene Styrene (ABS)



P357B / CON005WH

Piano Switch Plate Box
Size : 4" x 10"
Use : 7/8 Piano Switch

Made by High Impact
Polystyrene (HIPS)



PLASTIC BOARD



P133 / CUT006CO

Joint Board
Size : 3" x 3"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P133W / PSB001WH

Joint Board
Size : 3" x 3"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P134 / PSB002CO

Joint Board
Size : 4" x 6"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P134W / PSB002WH

Joint Board
Size : 4" x 6"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P179 / PSB004CO

Joint Board
Size : 4" x 4"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P179W / PSB004WH

Joint Board
Size : 4" x 4"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P239 / PSB006CO

Joint Board (Double)
Size : 3" x 3"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P239W / PSB006WH

Joint Board (Double)
Size : 3" x 3"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P478 / PSB007CO

Joint Board
Size : 4" x 6"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P478W / PSB007WH

Joint Board
Size : 4" x 6"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P482 / PSB008CO

Joint Board
Size : 6" x 8"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P482W / PSB008WH

Joint Board
Size : 6" x 8"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



PLASTIC BOARD



P613 / PSB021CO

Plane Board
Size : 5" x 7"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P613W / PSB021WH

Plane Board
Size : 5" x 7"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P615 / PSB022CO

Piano Hole Box
Size : 8.5" x 9.5"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P615W / PSB022WH

Piano Hole Box
Size : 8.5" x 9.5"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P616 / PSB023CO

Piano Hole Box
Size : 6" x 8"


Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.



P616W / PSB023WH

Piano Hole Box
Size : 6" x 8"

Made by High Impact Polystyrene (HIPS). Smooth Surface Finished.





PREMIUM PLASTIC BOARD



P601 / PSB024CO

Premium Piano Hole Box
1 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P601W / PSB024WH

Premium Piano Hole Box
1 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P602 / PSB025CO

Premium Piano Hole Box
2 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P602W / PSB025WH

Premium Piano Hole Box
2 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P603 / PSB026CO

Premium Piano Hole Box
3 Hole


Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P603W / PSB026WH

Premium Piano Hole Box
3 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P604 / PSB027CO

Premium Piano Hole Box
4 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P604W / PSB027WH

Premium Piano Hole Box
4 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P605 / PSB028CO

Premium Piano Hole Box
5 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P605W / PSB028WH

Premium Piano Hole Box
5 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P606 / PSB029CO

Premium Piano Hole Box
6 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P606W / PSB029WH

Premium Piano Hole Box
6 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



PREMIUM PLASTIC BOARD



P607 / PSB030CO

Premium Piano Hole Box
7 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P607W / PSB030WH

Premium Piano Hole Box
7 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P608 / PSB031CO

Premium Piano Hole Box
8 Hole


Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P608W / PSB031WH

Premium Piano Hole Box
8 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P608S / PSB032CO

Premium Piano Hole Box
8 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P608SW / PSB032WH

Premium Piano Hole Box
8 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P609 / PSB033CO

Premium Piano Hole Box
9 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P609W / PSB033WH

Premium Piano Hole Box
9 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P610 / PSB034CO

Premium Piano Hole Box
10 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P610W / PSB034WH

Premium Piano Hole Box
10 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P148 / PSB035CO

Premium Piano Hole Box
10 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



P148W / PSB035WH

Premium Piano Hole Box
10 Hole

Made by High Impact Polystyrene
(HIPS). Smooth Surface Finished.



uPVC FITTING



PP011 / MPF001WH

PVC Bend
Size : 1" (26.6 mm)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP015 / MPF005WH

Circular Box
Size : 3/4" (4 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP012 / MPF002WH

PVC Bend
Size : 3/4" (21.2 mm)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP016 / MPF006WH

Circular Box
Size : 1/2" (4 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP013 / MPF003WH

PVC Bend
Size : 1/2" (15.2 mm)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP017 / MPF007WH

Circular Box
Size : 1" (3 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP014 / MPF004WH

Circular Box
Size : 1" (4 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP018 / MPF008WH

Circular Box
Size : 3/4" (3 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



uPVC FITTING



PP019 / MPF009WH

Circular Box
Size : 1/2" (3 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP022 / MPF012WH

PVC Tee Socket
Size : 1/2"


Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP026 / MPF016WH

Circular Box
Size : 3/4" (2 Way)

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP023 / MPF013WH

PVC Pipe Socket
Size : 1"


Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP020 / MPF010WH

PVC Tee Socket
Size : 1"


Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP024 / MPF014WH

PVC Pipe Socket
Size : 3/4"


Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP021 / MPF011WH

PVC Tee Socket
Size : 3/4"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



PP025 / MPF015WH

PVC Pipe Socket
Size : 1/2"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



UPVC FITTING



New

PP040 / MPF030WH

PVC ELBOW
Size : 1"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



New

PP042 / MPF032WH

PVC ELBOW
Size : 1/2"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



New

PP041 / MPF031WH

PVC ELBOW
Size : 3/4"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



New

PP043 / MPF033WH

Big Circular Box (4 Way)
Size : 3/4"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



New

PP044 / MPF034WH

Big Circular Box (3 Way)
Size : 3/4"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



New

PP045 / MPF035WH

Big Circular Box (2 Way)
Size : 3/4"

Easy installation, Chemical resistance, High tensile & impact strength, Corrosion free & Friction Less. Made by High Density Polyethylene (HDPE)



CABLE CASING & PVC PIPE




MEP POLYMER INDUSTRIES LTD.

Factory : New Sadarghat Road, Hatkhola, Barisal-8200.




CABLE CASING



P136 / WCW001BU

Cable Casing (Double Lock System)
Size : 15mm


Made By High Grade
PVC Resin



P136A / WCW001OW

Cable Casing (Double Lock System)
Size : 15mm


Made By High Grade
PVC Resin



P139 / WCW004BU

Cable Casing (Double Lock System)
Size : 1.5" (38mm)

Made By High Grade
PVC Resin



P139A / WCW004OW

Cable Casing (Double Lock System)
Size : 1.5" (38mm)

Made By High Grade
PVC Resin



P140 / WCW005BU

Cable Casing (Double Lock System)
Size : 1" (25mm)

Made By High Grade
PVC Resin



P140A / WCW005OW

Cable Casing (Double Lock System)
Size : 1" (25mm)

Made By High Grade
PVC Resin



P143 / WCW007BU

Cable Casing (Double Lock System)
Size : 2" (50mm)


Made By High Grade
PVC Resin



P143A / WCW007OW

Cable Casing (Double Lock System)
Size : 2" (50mm)


Made By High Grade
PVC Resin



P152 / WCW090BU

Cable Casing (Double Lock System)
Size : 3/4" (19mm)

Made By High Grade
PVC Resin



P152A / WCW090OW

Cable Casing (Double Lock System)
Size : 3/4" (19mm)

Made By High Grade
PVC Resin



PVC PIPE



PP001 / PPD001WH

PVC Pipe
Size : 1/2" (15.2 mm) G-D

Made By High Grade
PVC Resin



PP005 / PPA002WH

PVC Pipe
Size : 3/4" (21.1 mm) G-A

Made By High Grade
PVC Resin



PP002 / PPD002WH

PVC Pipe
Size : 3/4" (21.1 mm) G-D

Made By High Grade
PVC Resin



PP006 / PPD004BL

PVC Pipe With Socket (Black)
Size : 3/4" (21.1 mm) G-D

Made By High Grade
PVC Resin



PP003 / PPD003WH

PVC Pipe
Size : 1" (26.5 mm) G-D

Made By High Grade
PVC Resin



PP008 / PPA003WH

PVC Pipe With Socket
Size : 1" (26.5 mm) G-A

Made By High Grade
PVC Resin



PP004 / PPA001WH

PVC Pipe
Size : 1/2" (15.2 mm) G-A

Made By High Grade
PVC Resin



CIRCUIT BREAKER





CIRCUIT BREAKER SB 04K



SB04KC106 / CB4001WH

Single Phase, 6 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC132 / CB4005WH

Single Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC110 / CB4002WH

Single Phase, 10 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC140 / CB4006WH

Single Phase, 40 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC116 / CB4003WH

Single Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC163 / CB4007WH

Single Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC120 / CB4004WH

Single Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC216 / CB4008WH

Double Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



CIRCUIT BREAKER SB 04K



SB04KC220 / CB4009WH

Double Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC332 / CB4013WH

Triple Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC232 / CB4010WH

Double Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC345 / CB4014WH

Triple Phase, 45 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC245 / CB4011WH

Double Phase, 45 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC363 / CB4015WH

Triple Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB04KC263 / CB4012WH

Double Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



CIRCUIT BREAKER SB 05K



SB05KC106 / CB5001WH

Single Phase, 6 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC163 / CB5007WH

Single Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC110 / CB5002WH

Single Phase, 10 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC216 / CB5008WH

Double Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC116 / CB5003WH

Single Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC220 / CB5009WH

Double Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC120 / CB5004WH

Single Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC232 / CB5010WH

Double Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC132 / CB5005WH

Single Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC263 / CB5011WH

Double Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB05KC140 / CB5006WH

Single Phase, 40 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



CIRCUIT BREAKER SB 06K



SB06KC106 / CB6001WH
Single Phase, 6 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC220 / CB6007WH
Double Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC110 / CB6002WH
Single Phase, 10 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC232 / CB6008WH
Double Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC116 / CB6003WH
Single Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC263 / CB6009WH
Double Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC120 / CB6004WH
Single Phase, 20 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC332 / CB6010WH
Triple Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC132 / CB6005WH
Single Phase, 32 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC363 / CB6011WH
Triple Phase, 63 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.



SB06KC216 / CB6006WH
Double Phase, 16 AMP

Bi-Metallic Thermal Protection, Fire Resistant Plastic Body with Pure Copper Solenoid, So that it can save electrical accessories by isolating them from short circuit current and overload condition.

Since 1974

MEP GROUP

- **MOHAMMADI ELECTRIC WIRES & MULTI PRODUCTS (MEP) LTD.**
- **MEP ENERGY SAVING LAMPS INDUSTRIES LTD.**
- **MEP PRINTING & PACKAGING INDUSTRIES.**
- **CHAKLADER SHIPPING LINES LTD.**
- **MEP POLYMER INDUSTRIES LTD.**
- **MEP FAN LIMITED.**
- **MEP FOUNDATION.**
- **MEP AGRO.**

Corporate Office :

61 Bijoy Nagar, Eastern Arzoo Tower (13 th Floor), Dhaka-1000, Phone : + 88-02-8392043

Dhaka Display & Sales Center :

New Super Enterprise, Khawaja Electric Market (1st Floor), 153, Nawabpur Road, Dhaka-1100, Phone : 88-02-9558581

Teghoria Office :

Teghoria New Road, South Keranigonj, Dhaka-1310, Phone : 01755-520873

Gazipur Office :

Vill : Shirir Chala, Post : Vobanipur, Thana : Gazipur Sadar, Dist : Gazipur, Pho : 01709 647840

Barishal Display & Sales Center :

Happy Nibash (1st Floor) Hospital Road (Amritalal Day Sharak) Holding #102, Barishal-8200, Pho : 01709 817956

Chittagong Display & Sales Center :

Shop No: 36 & 37., Epic Kader Height (Ground Floor),, 19. J.C. Guho Road. Nandan Kanan, Chattagram-4000, Pho : 01709 817970

Chittagong Office :

Najir Bhaban, New Munsurabad, Pahartali, Chittagong., Pho : 01755-520874

Bogura Display & Sales Center :

Younus Plaza, Temple Road, Front of T&T Office, Bogura. Pho : 01755-513474

Khulna Display & Sales Center :

26/1, Sher-e-Bangla Road, Moylapota, Khulna, Pho : 01755-520832

Rangpur Display & Sales Center :

Holding # 449/2, G.L. Road, Kamal Kasna, Rangpur. Pho : 01755-513445

Mymensingh Display & Sales Center :

Shehora, Dhaka Road (Front of Cadet College), Mymensingh. Pho : 01755-520840

Factory :

Swarup Ali Chairman Lane, Hatkhola, Barisal-8200. Phone : 0431-62763

www.mepgroupbd.com  /mepesl